



Certificate number: 2111730 (1)

Issued 17/11/2021

Expires 17/11/2026

## Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)

Model number(s) – see Appendix

### Washbot Ltd.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

**Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.**

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory  
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en/about-kiwa/water-products/> to ensure that the certificate is still valid.

CERTIFICATE

Kiwa Watertec  
(A Trading Division of Kiwa Ltd)  
26A Rassau Industrial Estate  
Ebbw Vale  
Gwent  
NP23 5SD  
United Kingdom  
T +44 (0)1495 308185  
[uk.water@kiwa.com](mailto:uk.water@kiwa.com)  
[www.kiwa.co.uk](http://www.kiwa.co.uk)

**Certificate Issued to:**  
Washbot Ltd  
Northgate Business Centre  
38 Northgate  
Newark-on-Trent  
NG24 1EZ



# Product Certificate

Appendix to Certificate number: 2111730

The following products belong to this certificate

<p><b>PRODUCT DESCRIPTION</b>          Bidet seat assembly which discharges via a sensor actuated solenoid valve and utilises a 'Type AB' air gap arrangement (suitable for backflow prevention against Fluid Category 5). The inlet incorporates a strainer and flow regulator (not verified by the test facility) and is pumped from an internal water storage cistern via a heating unit to various outlet nozzle arrangements.          AT33 – Without Production Surveillance.</p>
<p><b>MODEL(S)</b>          WB8001 Wall Hung Smart Toilet;          WB8001A Wall Hung Smart Toilet with automated opening;          WB8002 Wall Hung Smart Toilet;          WB8002A Wall Hung Smart Toilet with automated opening;          WB8003 Wall Hung Smart Toilet;          WB8003A Wall Hung Smart Toilet with automated opening;          WB8004 Wall Hung Smart Toilet;          WB8004A Wall Hung Smart Toilet with automated opening;          WB9001 Floor Standing Back to Wall Smart Toilet;          WB9001A Floor Standing Back to Wall Smart Toilet with automated opening;          WB9002 Floor Standing Back to Wall Smart Toilet;          WB9002A Floor Standing Back to Wall Smart Toilet with automated opening;          WB9003 Floor Standing Back to Wall Smart Toilet;          WB9003A Floor Standing Back to Wall Smart Toilet with automated opening;          WB9004 Floor Standing Back to Wall Smart Toilet;          WB9004A Floor Standing Back to Wall Smart Toilet with automated opening.</p>
<p><b>SIZE:</b>          1/2" BSP(M) and 3/8" BSP(M).</p>
<p><b>SCOPE:</b>          Manufacturer recommended maximum working pressure 10.0 bar and cold-water supply only.          Hygienic Purposes: Non-metallic materials suitable for use with cold water only.</p>
<p><b>MARKING</b>          Washbot on seat cover.          Washbot on seat cover, Washbot, model name and other technical information on side of seat.</p>
<p><b>MATERIALS</b>          Non-metallic materials assessed (BS6920) to backflow prevention device.</p>
<p><b>BACKFLOW PROTECTION NOTES</b>          N/A.</p>
<p><b>ADDITIONAL NOTES</b>          All water contact &amp; exposed components satisfy opacity requirements.</p>

**Extra Notes**